This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Viginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE		LING DATE	FIRST NAMED INVENTOR ATTORNEY DOC		CONFIRMATION NO
09/692,394 10/19/2000		0/19/2000	Mansoor Abdulali Lakhdhir	AUS9-2000-0398-US1 6086	
35525	7590	08/02/2004		EXAMINER	
IBM CORP (YA) C/O YEE & ASSOCIATES PC				BRUCKART, BENJAMIN R	
P.O. BOX 803		ILSIC	ART UNIT	PAPER NUMBER	
DALLAS, T	X 75380		2155		

DATE MAILED: 08/02/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



		Application	on No.	Applicant(s)			
		09/692,39	9 4	LAKHDIR, MANSOOR ABDULAL			
Offi	ce Action Summary	Examiner		Art Unit			
		Benjamin	R Bruckart	2155			
	AILING DATE of this communic			correspondence address			
Period for Reply							
THE MAILING - Extensions of tin after SIX (6) MO - If the period for r - If NO period for r - Failure to reply w Any reply receive	ED STATUTORY PERIOD FO DATE OF THIS COMMUNIC me may be available under the provisions of NTHS from the mailing date of this commu eply specified above is less than thirty (30) reply is specified above, the maximum state within the set or extended period for reply we do by the Office later than three months after madjustment. See 37 CFR 1.704(b).	CATION. f 37 CFR 1.136(a). In no even nication. days, a reply within the stat utory period will apply and will, by statute, cause the app	ent, however, may a reply be til utory minimum of thirty (30) day ill expire SIX (6) MONTHS from lication to become ABANDONE	mely filed ys will be considered timely. n the mailing date of this communication. ED (35 U.S.C. § 133).			
Status							
1)⊠ Respor	sive to communication(s) filed	l on <i>21 June 2004</i> .					
<u> </u>	•	o)⊠ This action is n	on-final.				
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of C	laims						
4a) Of the first transfer of the first tran	s) <u>1-8,13-25 and 30</u> is/are pend the above claim(s) is/are s) is/are allowed. s) <u>1-8, 13-25, 30</u> is/are rejecte s) is/are objected to. s) are subject to restriction	e withdrawn from co	nsideration.				
Application Pap	ers						
9)□ The spe	cification is objected to by the	Examiner.					
•	wing(s) filed on is/are:	· · · · · · · · · · · · · · · · · · ·	•				
	nt may not request that any object						
	ment drawing sheet(s) including t h or declaration is objected to						
Priority under 3	5 U.S.C. § 119						
a)	ledgment is made of a claim for b) Some * c) None of: Certified copies of the priority description copies of the priority description from the Internation attached detailed Office action	locuments have bee locuments have bee f the priority docume al Bureau (PCT Rul	en received. en received in Applicat ents have been receiv e 17.2(a)).	tion No red in this National Stage			
Attachment(s) 1) Notice of Refer	ences Cited (PTO-892)		4) Interview Summary	y (PTO-413)			
2) Notice of Drafts 3) Information Dis	sperson's Patent Drawing Review (PT closure Statement(s) (PTO-1449 or Pail Date 20040625.		Paper No(s)/Mail D				

Art Unit: 2155

Detailed Action

Status of Claims:

Claims 1-8, 13, 18-25, 30 are pending in this Office Action.

Information Disclosure Statement

The information disclosure statement filed on June 25, 2004 has been considered.

Response to Arguments

Applicant's arguments with respect to claims 1-8, 13-25, 30 have been considered but are most in view of the new ground(s) of rejection.

Applicant's invention as claimed:

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-5, 7-8, 13, 15, 17-22, 24-30 are rejected under 35 U.S.C. 102(e) as being anticipated by U.S. Patent 6,169,992 by Beall et al (Applicant IDS).

Art Unit: 2155

Regarding claim 1, a method in a data processing system (Beall: Figure 1, tags 112, 118; clients; col. 18, lines 54-62; Figure 8) for communicating across a firewall with a host (Beall: col. 22, lines 17-26), the method comprising:

simulating a browser in the data processing system to form a simulation (Beall: col. 12, lines 50 – col. 13, line 5), wherein the browser being simulated is able to communicate through the firewall (Beall: col. 22, lines 40-53), and wherein simulating the browser includes preparing an encoded data stream similar to one that is sent by an actual browser (Beall: col. 12, lines 61-67; col. 3, lines 39-41); and

communicating with the host directly using the simulation instead of using the browser (Beall: col. 12, lines 50- col. 13, line 5), wherein the step of communicating with the host includes sending a message in which a header field is set to specify the type of data in the body of the message (Beall: col. 18, lines 63- col. 19, line 21; message is the packet, header field Figures 9, 11, tag 5110; packet type, tag 5102).

Regarding claim 2, the method of claim 1, wherein the simulating and communicating steps are performed by an applet (Beall: col. 12, lines 52-57).

Regarding claim 3, the method of claim 1, wherein the applet is a Java applet (Beall: col. 11, lines 6-15).

Regarding claim 4, the method of claim 1, wherein the communications step is performed using hypertext transfer protocol data streams (Beall: col. 18, lines 32-51).

Regarding claim 5, the method of claim 1, wherein the simulating step includes creating a universal resource locator connection with the host (Beall: col. 11, lines 54-col. 12, line 4; TCP/IP connection; col. 22, lines 41-53).

Regarding claim 7, the method of claim 1, wherein the message is used to open a universal resource locator connection to a program on the server (Beall: col. 18, lines 52-67; Figure 12; col. 22, lines 61- col. 23, line 8).

Art Unit: 2155

Regarding claim 8, the method of claim 1, wherein the step of communicating includes sending a message with a universal resource locator identifying a program to receive the data (Beall: col. 22, lines 41-col. 23, line 8).

Regarding claim 13, a data processing system (Beall: Figure 1, tags 112, 118; clients; col. 18, lines 54-62; Figure 8) comprising:

a bus system (Beall: col. 45, lines 39-41; buses are embedded in computer architecture);

a communications unit connected to the bus, wherein data is sent and received using the communications unit (Beall: col. 45, lines 34-41; Figure 8, tag 2102);

a memory connected to the bus system, wherein a set of instructions are located in the memory (Beall: col. 45, lines 26-34; Figure 8, tag 2106); and a processor unit connected to the bus system (Beall: col. 45, line 24; Figure 8, tag 2109), wherein the processor unit executes the set of instructions (Beall: col. 45, lines 20-26) to simulate a browser in the data processing system in which the browser being simulated is able to communicate through the firewall and communicate with the host directly instead of using the browser (Beall: col. 12, lines 50 – col. 13, line 5; col. 22, lines 40-53; col. 3, lines 39-41), wherein the step of communicating with the host includes sending a message in which a header field is set to specify the type of data in the body of the message (Beall: col. 18, lines 63- col. 19, line 21; message is the packet, header field Figures 9, 11, tag 5110; packet type, tag 5102).

Regarding claim 15, the data processing system of claim 13, wherein the processor unit includes a single processor (Beall: col. 45, lines 23-26; Figure 8).

Regarding claim 17, the dataprocessing system of claim 13, wherein the communications unit is an Ethernet adapter (Beall: col. 11, lines 54-61).

Art Unit: 2155

Regarding claim 18, a data processing system (Beall: Figure 1, tags 112, 118; clients; col. 18, lines 54-62; Figure 8) for communicating across a firewall with a host (Beall: col. 22, lines 17-26), the data processing system comprising:

simulating means for simulating a browser in the data processing system to form a simulation (Beall: col. 12, lines 50 – col. 13, line 5), wherein the browser being simulated is able to communicate through the firewall (Beall: col. 22, lines 40-53), and wherein simulating the browser includes preparing an encoded data stream similar to one that is sent by an actual browser (Beall: col. 12, lines 61-67; col. 3, lines 39-41); and

communicating means for communicating with the host directly using the simulation instead of using the browser (Beall: col. 12, lines 50- col. 13, line 5), wherein the step of communicating with the host includes sending a message in which a header field is set to specify the type of data in the body of the message (Beall: col. 18, lines 63-col. 19, line 21; message is the packet, header field Figures 9, 11, tag 5110; packet type, tag 5102).

Regarding claim 19, the data processing system of claim 18, wherein the simulating and communicating means are located in an applet (Beall: col. 12, lines 52-57).

Regarding claim 20, the data processing system of claim 18, wherein the applet is a Java applet (Beall: col. 11, lines 6-15).

Regarding claim 21, the data processing system of claim 18, wherein the communication means uses hypertext transfer protocol data streams (Beall: col. 18, lines 32-51).

Art Unit: 2155

Regarding claim 22, the data processing system of claim 18, wherein the simulating step includes creating an universal resource locator connection with the host (Beall: col. 11, lines 54- col. 12, line 4; TCP/IP connection; col. 22, lines 41-53).

Regarding claim 24, the data processing system of claim 23, wherein the message is used to open a universal resource locator connection to a program on the server (Beall: col. 18, lines 52-67; Figure 12; col. 22, lines 61- col. 23, line 8).

Regarding claim 25, the data processing system of claim 18, wherein the means of communicating includes sending a message with a universal resource locator identifying a program to receive the data (Beall: col. 22, lines 41-col. 23, line 8)

Regarding claim 30, a computer program product (Beall: col. 45, lines 26-32) in a computer readable medium (Beall: col. 45, lines 26-32) for use in a data processing system (Beall: Figure 8, tag 112; Figure 1, tag 112) for communicating across a firewall with a host (Beall: col. 12, lines 50 – col. 13, line 5; col. 22, lines 40-53; col. 3, lines 39-41), the computer program product comprising:

first instructions for simulating a browser in the data processing system to form a simulation (Beall: col. 12, lines 50 – col. 13, line 5; col. 22, lines 40-53; col. 3, lines 39-41), wherein the browser being simulated is able to communicate through the firewall (Beall: col. 22, lines 40-53), and wherein simulating the browser includes preparing an encoded data stream similar to one that is sent by an actual browser (Beall: col. 12, lines 61-67; col. 3, lines 39-41); and

second instructions for communicating with the host directly using the simulation instead of using the browser (Beall: col. 12, lines 50- col. 13, line 5), wherein the step of communicating with the host includes sending a message in which a header field is set to specify the type of data in the body of the message (Beall: col. 18, lines 63- col. 19, line 21; message is the packet, header field Figures 9, 11, tag 5110; packet type, tag 5102).

Art Unit: 2155

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 6 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,169,992 by Beall et al (Applicant IDS) in view of U.S. Patent No 5,973,696 by Agranat et al.

Regarding claim 6,

The Beall reference reference teaches a method in a data processing system (Beall: Figure 1, tags 112, 118; clients; col. 18, lines 54-62; Figure 8) for communicating across a firewall with a host (Beall: col. 22, lines 17-26) with a message with a header.

The Beall reference does not explicitly state the header is a MIME field.

The Agranat reference teaches the header field is a multipurpose internet mail extension content-type header field (Agranat: col. 7, lines 49-62).

The Agranat reference further teaches the system uses http request and response messages containing the format of the message (Agranat: col. 7, lines 49-62).

Therefore it would have been obvious at the time of the invention to one of ordinary skill in the art to create the system of data processing as taught by Beall while employing a MIME header field as taught by Agranat to indicate the format of the message (Agranat: col. 7, lines 49-62).

Claim 23 is rejected under the same rationale given above. In the rejections set fourth, the examiner will address the additional limitations and point to the relevant teachings of Beall et al and Agranat et al.

Regarding claim 23, the method of claim 18, wherein the header field is a multipurpose internet mail extension content-type header field (Agranat: col. 7, lines 49-62).

Art Unit: 2155

Claims 14 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,169,992 by Beall et al (Applicant IDS) in view of U.S. Patent No. 6,041,380 by LaBerge.

Regarding claim 14,

The Beall reference teaches a method in a data processing system (Beall: Figure 1, tags 112, 118; clients; col. 18, lines 54-62; Figure 8) for communicating across a firewall with a host (Beall: col. 22, lines 17-26).

The Bell reference does not explicitly state use of a primary or secondary bus.

The LaBerge reference teaches a bus system includes a primary bus and a secondary bus (LaBerge: col. 2, lines 66 - col. 3, 3).

The LaBerge reference further teaches this bus system overcomes the problems of a lower clock rate and thus forcing a slower and relatively more inefficient computer system, having decreased system throughput (LaBerge: col. 1, lines 23-29)

Therefore it would have been obvious at the time of the invention to one of ordinary skill in the art to create the system of data processing as taught by Beall while employing multiple bus lines as taught by LaBerge to overcome the problems of a lower clock rate and thus forcing a slower and relatively more inefficient computer system, having decreased system throughput (LaBerge: col. 1, lines 23-29)

Claim 16 is rejected under the same rationale given above. In the rejections set fourth, the examiner will address the additional limitations and point to the relevant teachings of Beall et al and LaBerge.

Regarding claim 16, the data processing system of claim 13, wherein the processor unit includes a plurality of processors (LaBerge: col. 2, lines 19-29).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Benjamin R Bruckart whose telephone number is (703)

Art Unit: 2155

305-0324. The examiner can normally be reached on 8:00-5:30PM with every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hosain Alam can be reached on (703) 308-6662. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Benjamin R Bruckart

Examiner

Art Unit 2155

brb

July 23, 2004

HOSAIN ALAM